Product datasheet

Specification





Standard motor mechanism module MT100/160, ComPacT NSX100/160, 220/240VAC 50/60Hz, 208/277VAC 60Hz

LV429434

Main

Device Short Name	MT250	
Product Or Component Type	Motor mechanism	
Device Application	Automatic spring charging	
Range Compatibility	ComPacT new generation ComPacT NSX100 new generation ComPacT new generation ComPacT NSX160 new generation ComPact ComPacT NSX DC new generation NSX100 DC ComPact ComPacT NSX DC new generation NSX160 DC	
Control Type	Standard	
[Uc] Control Circuit Voltage	208277 V AC 60 Hz 220240 V AC 50/60 Hz	
Circuit Breaker Mounting Mode	Fixed	
Circuit Breaker Frame Rated Current	160 A 100 A	

Complementary

Control Signal Type	Impulse Maintained
Circuit Breaker Response Time	< 700 ms open < 80 ms closed
Maximum Operating Frequency	4 per minute
Maximum Power Consumption In Va	500 VA closing 500 VA opening
Provided Equipment	SDE adaptor
Locking Options Description	Padlocking in OFF position 1 to 3 padlocks Ø 5 to Ø 8

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.7 cm
Package 1 Width	10.5 cm
Package 1 Length	17.0 cm
Package 1 Weight	1.39 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	15





Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	21.526 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information

Life Is On Schneider