Product datasheet

Specifications





Standard motor mechanism module MT400/630, ComPacT NSX400/630, 110/130VDC

LV432645

Main

Device Short Name	MT400/630
Product Or Component Type	Motor mechanism
Device Application	Automatic spring charging
Range Compatibility	ComPacT new generation ComPacT NSX400 new generation ComPacT new generation ComPacT NSX630 new generation ComPact ComPacT NSX DC new generation NSX400 DC ComPact ComPacT NSX DC new generation NSX630 DC
Control Type	Standard
[Uc] Control Circuit Voltage	110130 V DC
Circuit Breaker Mounting Mode	Fixed
Circuit Breaker Frame Rated Current	630 A 400 A

Complementary

Control Signal Type	Maintained Impulse
Circuit Breaker Response Time	< 700 ms open < 80 ms closed
Maximum Operating Frequency	4 per minute
Maximum Power Consumption In W	500 W - closing 500 W - opening
Locking Options Description	1 to 3 padlocks Ø 5 to Ø 8 Padlocking in OFF position

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	19.8 cm
Package 1 Width	17.0 cm
Package 1 Length	17.0 cm
Package 1 Weight	3.158 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	6
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm

Package 2 Length	60.0 cm
Package 2 Weight	19.828 kg

Contractual warranty

Warranty 18 months





Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information

Life Is On Schneider